Author Index

Abbas, P.J., see Miller, C.A. (69) 35
Albin, R.L., see Kuriyama, H. (69) 215
Altschuler, R.A., see Hoffman, D.W. (69) 1
Altschuler, R.A., see Kuriyama, H. (69) 215
Altschuler, R.A., see Lim, H.H. (69) 146
Anderson, C.A.B., see Faingold, C.L. (69) 98

Baird, A., see Luo, L. (69) 182
Bobbin, R.P., see Crist, J.R. (69) 194
Bosch, W.R., see Ronken, D.A. (69) 55
Brimijoin, M.R., see Hoffman, D.W. (69) 1
Brocaar, M.P., see Kok, M.R. (69) 115

Chatterjee, M. and Smith, R.L.
Physiological overshoot and the compound action potential (69) 45
Chen, L., Salvi, R.J. and Hashino, E.
Recovery of CAP threshold and amplitude in chickens following kanamycin ototoxicity (69) 15
Crist, J.R., Fallon, M. and Bobbin, R.P.
Volume regulation in cochlear outer hair cells (69) 194
Crofton, K.M., see Goldey, E.S. (69) 221

Dechesne, C.J., Winsky, L., Moniot, B. and Raymond, J.
Localization of calretinin mRNA in rat and guinea pig inner ear by in situ hybridization using radioactive and non-radioactive probes (69) 91
DeDio, R.M., see Saunders, J.C. (69) 25
Didier, A., Miller, J.M. and Nuttall, A.L.
The vascular component of sodium salicylate ototoxicity in the guinea pig (69) 199
Drescher, D.G., see Pitovski, D.Z. (69) 10
Drescher, M.J., see Pitovski, D.Z. (69) 10

Faingold, C.L., Anderson, C.A.B. and Randall, M.E.
Stimulation or blockade of the dorsal nucleus of the lateral lemniscus alters binaural and tonic inhibition in contralateral inferior colliculus neurons (69) 98
Fallon, M., see Crist, J.R. (69) 194
Fettiplace, R., see Hackney, C.M. (69) 163
Freeman, S., Geal-Dor, M., Shimoni, Y. and Sohmer, H.
Thyroid hormone induces earlier onset of auditory function in neonatal rats (69) 229
Freeman, S., see Geal-Dor, M. (69) 236
Furness, D.N., see Hackney, C.M. (69) 163

Gardner, P.D., see Hoffman, D.W. (69) 1
Geal-Dor, M., Freeman, S., Li, G. and Sohmer, H.
Development of hearing in neonatal rats: Air and bone conducted ABR thresholds (69) 236
Geal-Dor, M., see Freeman, S. (69) 229
Gobsch, H. and Tietze, G.
Interrelation of spontaneous and evoked otoacoustic emissions (69) 176
Godfrey, D.A., see Yao, W. (69) 76
Goldey, E.S., Kehn, L.S. and Crofton, K.M.
The sensitivity to 3,3′-iminodipropionitrile differs for high- and midfrequency hearing loss in the developing rat (69) 221
Gray, L.
Simultaneous masking in newborn chickens (69) 83
Gu, Z.-P., see Shivapuja, B.G. (69) 243

Hackney, C.M., Fettiplace, R. and Furness, D.N.
The functional morphology of stereociliary bundles on turtle cochlear hair cells (69) 163
Harris, F.P., see Hauser, R. (69) 133
Hashino, E., see Chen, L. (69) 15
Hauser, R., Probst, R. and Harris, F.P.
Effects of atmospheric pressure variation on spontaneous, transiently evoked, and distortion product otoacoustic emissions in normal human ears (69) 133
Hochreiter, J.S., see Hoffman, D.W. (69) 1
Hoffman, D.W., Hochreiter, J.S., Landry, D.R., Brimijoin, M.R., Treadwell, M.D., Gardner, P.D. and Altschuler, R.A.
Localization of preproenkephalin mRNA-expressing cells in rat auditory brainstem with in situ hybridization (69) 1

Jenkins, O.H., see Lim, H.H. (69) 146

Kehn, L.S., see Goldey, E.S. (69) 221
Kok, M.R., Van Zanten, G.A. and Brocaar, M.P.
Aspects of spontaneous otoacoustic emissions in healthy newborns (69) 115
Koutnouyan, H., see Luo, L. (69) 182
Kuriyama, H., Albin, R.L. and Altschuler, R.A.
Expression of NMDA-Receptor mRNA in the rat cochlea (69) 215

Landry, D.R., see Hoffman, D.W. (69) 1
Li, G., see Geal-Dor, M. (69) 236
Li, J. and Young, E.D.
Discharge-rate dependence of refractory behavior of cat auditory-nerve fibers (69) 151
Lim, H.H., Jenkins, O.H., Myers, M.W., Miller, J.M. and Altschuler, R.A.
Detection of HSP 72 synthesis after acoustic overstimulation in rat cochlea (69) 146
Luo, L., Koutnouyan, H., Baird, A. and Ryan, A.F.
Acidic and basic FGF mRNA expression in the adult and developing rat cochlea (69) 182

Marcus, D.C., Takeuchi, S. and Wangemann, P.
Two types of chloride channel in the basolateral membrane of vestibular dark cells (69) 124
Marcus, D.C., see Wangemann, P. (69) 107
Miller, C.A., Abbas, P.J. and Robinson, B.K.
Characterization of wave I of the electrically evoked auditory brainstem response in the guinea pig (69) 35
Miller, J.M., see Didier, A. (69) 199
Miller, J.M., see Lim, H.H. (69) 146
Molnar, C.E., see Ronken, D.A. (69) 55
Moniot, B., see Dechesne, C.J. (69) 91
Myers, M.W., see Lim, H.H. (69) 146

Nuttall, A.L., see Didier, A. (69) 199

Ogawa, K. and Schacht, J.
Receptor-mediated release of inositol phosphates in the cochlear and vestibular sensory epithelia of the rat (69) 207

Pitovski, D.Z., Drescher, M.J. and Drescher, D.G.
High affinity aldosterone binding sites (Type I receptors) in the mammalian inner ear (69) 10
Probst, R., see Hauser, R. (69) 133

Quirk, W.S., see Shivapuja, B.G. (69) 243

Randall, M.E., see Faingold, C.L. (69) 98
Raymond, J., see Dechesne, C.J. (69) 91
Robinson, B.K., see Miller, C.A. (69) 35
Ronken, D.A., Bosch, W.R. and Molnar, C.E.
Effects of spike discharge history on discharge probability and latency in frog basilar papilla units (69) 55
Ryan, A.F., see Luo, L. (69) 182

Salvi, R.J., see Chen, L. (69) 15
Saunders, J.C., Torsiglieri, A.J. and DeDio, R.M.
The growth of hearing loss in neonatal chicks exposed to intense pure tones (69) 25
Saunders, S.S., see Shivapuja, B.G. (69) 243
Schacht, J., see Ogawa, K. (69) 207
Shiga, N., see Wangemann, P. (69) 107
Shimoni, Y., see Freeman, S. (69) 229
Shivapuja, B.G., Gu, Z.-P., Saunders, S.S. and Quirk, W.S.
Acute effects of cocaine on cochlear function (69) 243
Smith, R.L., see Chatterjee, M. (69) 45
Sohmer, H., see Freeman, S. (69) 229
Sohmer, H., see Geal-Dor, M. (69) 236

Takeuchi, S., see Marcus, D.C. (69) 124
Tietze, G., see Gobsch, H. (69) 176
Torsiglieri, A.J., see Saunders, J.C. (69) 25
Treadwell, M.D., see Hoffman, D.W. (69) 1

Van Zanten, G.A., see Kok, M.R. (69) 115

Wangemann, P., Shiga, N. and Marcus, D.C.
The Na^+/H^+ exchanger in transitional cells of the inner ear (69) 107
Wangemann, P., see Marcus, D.C. (69) 124
Winsky, L., see Dechesne, C.J. (69) 91

Yao, W. and Godfrey, D.A.
Choline acetyltransferase in cochlear root neurons (69) 76
Young, E.D., see Li, J. (69) 151

Subject Index

ABR
Development; Thyroid hormones; Neonate; Fetus; Bone conduction (Freeman, S. (69) 229)

Development; Maturation; Conductive; Sensori-neural; Bone conduction; Fetus; Neonate (Geal-Dor, M. (69) 236)

Acetylcholinesterase
Auditory; Cholinergic; Cochlear nucleus; Immunohistochemistry; Quantitative histochemistry (Yao, W. (69) 76)

Acoustic startle response
3,3′-Iminodipropionitrile; Ototoxicity; Cochlea; Reflex modification; Development (Goldey, E.S. (69) 221)

Adaptation
CAP; Two-interval forced-choice technique; Signal-to-noise ratio; Overshoot (Chatterjee, M. (69) 45)

Aldosterone
Receptor; Na, K-ATPase; Cochlea; Vestibule (Pitovski, D.Z. (69) 10)

Atmospheric pressure
Middle ear; Otoacoustic emissions; Human ears (Hauser, R. (69) 133)

Auditory
Acetylcholinesterase; Cholinergic; Cochlear nucleus; Immunohistochemistry; Quantitative histochemistry (Yao, W. (69) 76)

Cochlea; Hair cells; Stereocilia; Turtle (Hackney, C.M. (69) 163)

Auditory efferent
Olivocochlear; Trapezoid body; Superior olive (Hoffman, D.W. (69) 1)

Auditory evoked potentials
Chicks; Overstimulation; Hair cell regeneration; Hearing loss; Frequency selectivity (Saunders, J.C. (69) 25)

Auditory nerve
Electrical stimulation; Cochlear implant; EABR; Modeling (Miller, C.A. (69) 35)

Spike discharge; Recovery; Refractory; Click; Frog (Ronken, D.A. (69) 55)

Regularity; Refractory period; Hazard function; Model; Cat (Li, J. (69) 151)

BCECF
NHE-1; Ethylisopropylamiloride; Vestibular labyrinth; Gerbil (Wangemann, P. (69) 107)

Binaural inhibition
Dorsal nucleus of the lateral lemniscus; Inferior colliculus; GABA; Tonic inhibition; Electrical stimulation (Faingold, C.L. (69) 98)

Bone conduction
ABR; Development; Thyroid hormones; Neonate; Fetus (Freeman, S. (69) 229)

Development; Maturation; Conductive; Sensori-neural; ABR; Fetus; Neonate (Geal-Dor, M. (69) 236)

Calretinin
Cochlea; Vestibule; In situ hybridization; Oligonucleotide probe; Digoxigenin; Rat; Guinea pig (Dechesne, C.J. (69) 91)

CAP
Adaptation; Two-interval forced-choice technique; Signal-to-noise ratio; Overshoot (Chatterjee, M. (69) 45)

Cat
Regularity; Refractory period; Hazard function; Auditory nerve; Model (Li, J. (69) 151)

Chick
Development; Frequency analysis; Masking (Gray, L. (69) 83)

Chickens
Compound action potential; Hair cell regeneration; Ototoxicity (Chen, L. (69) 15)

Chicks
Auditory evoked potentials; Overstimulation; Hair cell regeneration; Hearing loss; Frequency selectivity (Saunders, J.C. (69) 25)

Cholinergic
Acetylcholinesterase; Auditory; Cochlear nucleus; Immunohistochemistry; Quantitative histochemistry (Yao, W. (69) 76)

Click
Auditory nerve; Spike discharge; Recovery; Refractory; Frog (Ronken, D.A. (69) 55)

Click-evoked otoacoustic emissions
Spontaneous otoacoustic emissions; Newborn (Kok, M.R. (69) 115)

Cocaine
N_1 amplitude-intensity functions; Cochlear blood flow (Shivapuja, B.G. (69) 243)

Cochlea
Aldosterone; Receptor; Na, K-ATPase; Vestibule (Pitovski, D.Z. (69) 10)

Calretinin; Vestibule; In situ hybridization; Oligonucleotide probe; Digoxigenin; Rat; Guinea pig (Dechesne, C.J. (69) 91)

HSP 72; Noise; Hair cell; Immunoblotting; Immunocytochemistry; Rat (Lim, H.H. (69) 146)

Auditory; Hair cells; Stereocilia; Turtle (Hackney, C.M. (69) 163)

Growth factors; Hair cells; Spiral ganglion; Development; Fibroblast growth factor; Rat (Luo, L. (69) 182)

Sodium salicylate; Laser doppler flowmetry; Guinea pig; Hydralazine; Topical drug application (Didier, A. (69) 199)

Inositol phosphates; Second messenger; Vestibule; Muscarinic cholinergic receptor; Purinergic receptor; Rat (Ogawa, K. (69) 207)

Excitatory amino acid; NMDA receptor; Spiral ganglion cells; In situ hybridization; Rat (Kuriyama, H. (69) 215)

3,3′-Iminodipropionitrile; Ototoxicity; Reflex modification; Acoustic startle response; Development (Goldey, E.S. (69) 221)

Cochlear blood flow
Cocaine; N_1 amplitude-intensity functions (Shivapuja, B.G. (69) 243)

Cochlear implant
Auditory nerve; Electrical stimulation; EABR; Modeling (Miller, C.A. (69) 35)

Cochlear nucleus
Acetylcholinesterase; Auditory; Cholinergic; Immunohistochemistry; Quantitative histochemistry (Yao, W. (69) 76)

Compound action potential
Hair cell regeneration; Chickens; Ototoxicity (Chen, L. (69) 15)

Conductive
Development; Maturation; Sensori-neural; Bone conduction; ABR; Fetus; Neonate (Geal-Dor, M. (69) 236)

Development
Frequency analysis; Masking; Chick (Gray, L. (69) 83)

Growth factors; Cochlea; Hair cells; Spiral ganglion; Fibroblast growth factor; Rat (Luo, L. (69) 182)

3,3′-Iminodipropionitrile; Ototoxicity; Cochlea; Reflex modification; Acoustic startle response (Goldey, E.S. (69) 221)

ABR; Thyroid hormones; Neonate; Fetus; Bone conduction (Freeman, S. (69) 229)

Maturation; Conductive; Sensori-neural; Bone conduction; ABR; Fetus; Neonate (Geal-Dor, M. (69) 236)

Digoxigenin
Calretinin; Cochlea; Vestibule; In situ hybridization; Oligonucleotide probe; Rat; Guinea pig (Dechesne, C.J. (69) 91)

Dorsal nucleus of the lateral lemniscus
Inferior colliculus; GABA; Binaural inhibition; Tonic inhibition; Electrical stimulation (Faingold, C.L. (69) 98)

EABR
Auditory nerve; Electrical stimulation; Cochlear implant; Modeling (Miller, C.A. (69) 35)

Electrical stimulation
Auditory nerve; Cochlear implant; EABR; Modeling (Miller, C.A. (69) 35)

Dorsal nucleus of the lateral lemniscus; Inferior colliculus; GABA; Binaural inhibition; Tonic inhibition (Faingold, C.L. (69) 98)

Ethylisopropylamiloride
NHE-1; BCECF; Vestibular labyrinth; Gerbil (Wangemann, P. (69) 107)

Excitatory amino acid
NMDA receptor; Cochlea; Spiral ganglion cells; In situ hybridization; Rat (Kuriyama, H. (69) 215)

Fetus
ABR; Development; Thyroid hormones; Neonate; Bone conduction (Freeman, S. (69) 229)

Development; Maturation; Conductive; Sensori-neural; Bone conduction; ABR; Neonate (Geal-Dor, M. (69) 236)

Fibroblast growth factor
Growth factors; Cochlea; Hair cells; Spiral ganglion; Development; Rat (Luo, L. (69) 182)

Frequency analysis
Development; Masking; Chick (Gray, L. (69) 83)

Frequency selectivity
Auditory evoked potentials; Chicks; Overstimulation; Hair cell regeneration; Hearing loss (Saunders, J.C. (69) 25)

Frog
Auditory nerve; Spike discharge; Recovery; Refractory; Click (Ronken, D.A. (69) 55)

GABA
Dorsal nucleus of the lateral lemniscus; Inferior colliculus; Binaural inhibition; Tonic inhibition; Electrical stimulation (Faingold, C.L. (69) 98)

Gerbil
NHE-1; Ethylisopropylamiloride; BCECF; Vestibular labyrinth (Wangemann, P. (69) 107)

95 pS Cl^- channel; Large conductance (LC-type) Cl^- channel; Potassium secretion (Marcus, D.C. (69) 124)

Growth factors
Cochlea; Hair cells; Spiral ganglion; Development; Fibroblast growth factor; Rat (Luo, L. (69) 182)

Guinea pig
Calretinin; Cochlea; Vestibule; In situ hybridization; Oligonucleotide probe; Digoxigenin; Rat (Dechesne, C.J. (69) 91)

Sodium salicylate; Laser doppler flowmetry; Cochlea; Hydralazine; Topical drug application (Didier, A. (69) 199)

Hair cell
HSP 72; Noise; Cochlea; Immunoblotting; Immunocytochemistry; Rat (Lim, H.H. (69) 146)

Hair cell regeneration
Compound action potential; Chickens; Ototoxicity (Chen, L. (69) 15)

Auditory evoked potentials; Chicks; Overstimulation; Hearing loss; Frequency selectivity (Saunders, J.C. (69) 25)

Hair cells
Auditory; Cochlea; Stereocilia; Turtle (Hackney, C.M. (69) 163)

Growth factors; Cochlea; Spiral ganglion; Development; Fibroblast growth factor; Rat (Luo, L. (69) 182)

Hair cells, outer
Volume regulation; Osmolarity (Crist, J.R. (69) 194)

Hazard function
Regularity; Refractory period; Auditory nerve; Model; Cat (Li, J. (69) 151)

Hearing loss
Auditory evoked potentials; Chicks; Overstimulation; Hair cell regeneration; Frequency selectivity (Saunders, J.C. (69) 25)

HSP 72
Noise; Cochlea; Hair cell; Immunoblotting; Immunocytochemistry; Rat (Lim, H.H. (69) 146)

Human ears
Atmospheric pressure; Middle ear; Otoacoustic emissions (Hauser, R. (69) 133)

Hydralazine
Sodium salicylate; Laser doppler flowmetry; Cochlea; Guinea pig; Topical drug application (Didier, A. (69) 199)

3,3′-Iminodipropionitrile
Ototoxicity; Cochlea; Reflex modification; Acoustic startle response; Development (Goldey, E.S. (69) 221)

Immunoblotting
HSP 72; Noise; Cochlea; Hair cell; Immunocytochemistry; Rat (Lim, H.H. (69) 146)

Immunocytochemistry
HSP 72; Noise; Cochlea; Hair cell; Immunoblotting; Rat (Lim, H.H. (69) 146)

Immunohistochemistry
Acetylcholinesterase; Auditory; Cholinergic; Cochlear nucleus; Quantitative histochemistry (Yao, W. (69) 76)

Inferior colliculus
Dorsal nucleus of the lateral lemniscus; GABA; Binaural inhibition; Tonic inhibition; Electrical stimulation (Faingold, C.L. (69) 98)

Inositol phosphates
Second messenger; Cochlea; Vestibule; Muscarinic cholinergic receptor; Purinergic receptor; Rat (Ogawa, K. (69) 207)

In situ hybridization
Calretinin; Cochlea; Vestibule; Oligonucleotide probe; Digoxigenin; Rat; Guinea pig (Dechesne, C.J. (69) 91)

Excitatory amino acid; NMDA receptor; Cochlea; Spiral ganglion cells; Rat (Kuriyama, H. (69) 215)

Interrelation of otoacoustic emission
Otoacoustic emission; Transiently evoked otoacoustic emission; Spontaneous otoacoustic emission; Synchronised spontaneous otoacoustic emission (Gobsch, H. (69) 176)

Large conductance (LC-type) Cl^- channel
Gerbil; 95 pS Cl^- channel; Potassium secretion (Marcus, D.C. (69) 124)

Laser doppler flowmetry
Sodium salicylate; Cochlea; Guinea pig; Hydralazine; Topical drug application (Didier, A. (69) 199)

Masking
Development; Frequency analysis; Chick (Gray, L. (69) 83)

Maturation
Development; Conductive; Sensori-neural; Bone conduction; ABR; Fetus; Neonate (Geal-Dor, M. (69) 236)

Middle ear
Atmospheric pressure; Otoacoustic emissions; Human ears (Hauser, R. (69) 133)

Model
Regularity; Refractory period; Hazard function; Auditory nerve; Cat (Li, J. (69) 151)

Modeling
Auditory nerve; Electrical stimulation; Cochlear implant; EABR (Miller, C.A. (69) 35)

Muscarinic cholinergic receptor
Inositol phosphates; Second messenger; Cochlea; Vestibule; Purinergic receptor; Rat (Ogawa, K. (69) 207)

Na, K-ATPase
Aldosterone; Receptor; Cochlea; Vestibule (Pitovski, D.Z. (69) 10)

N_1 amplitude-intensity functions
Cocaine; Cochlear blood flow (Shivapuja, B.G. (69) 243)

Neonate
ABR; Development; Thyroid hormones; Fetus; Bone conduction (Freeman, S. (69) 229)

Development; Maturation; Conductive; Sensori-neural; Bone conduction; ABR; Fetus (Geal-Dor, M. (69) 236)

Newborn
Spontaneous otoacoustic emissions; Click-evoked otoacoustic emissions (Kok, M.R. (69) 115)

NHE-1
Ethylisopropylamiloride; BCECF; Vestibular labyrinth; Gerbil (Wangemann, P. (69) 107)

NMDA receptor
Excitatory amino acid; Cochlea; Spiral ganglion cells; In situ hybridization; Rat (Kuriyama, H. (69) 215)

Noise
HSP 72; Cochlea; Hair cell; Immunoblotting; Immunocytochemistry; Rat (Lim, H.H. (69) 146)

Oligonucleotide probe
Calretinin; Cochlea; Vestibule; In situ hybridization; Digoxigenin; Rat; Guinea pig (Dechesne, C.J. (69) 91)

Olivocochlear
Auditory efferent; Trapezoid body; Superior olive (Hoffman, D.W. (69) 1)

Osmolarity
Hair cells, outer; Volume regulation (Crist, J.R. (69) 194)

Otoacoustic emission
Transiently evoked otoacoustic emission; Spontaneous otoacoustic emission; Synchronised spontaneous otoacoustic emission; Interrelation of otoacoustic emission (Gobsch, H. (69) 176)

Otoacoustic emissions
Atmospheric pressure; Middle ear; Human ears (Hauser, R. (69) 133)

Ototoxicity
Compound action potential; Hair cell regeneration; Chickens (Chen, L. (69) 15)

3,3′-Iminodipropionitrile; Cochlea; Reflex modification; Acoustic startle response; Development (Goldey, E.S. (69) 221)

Overshoot
CAP; Adaptation; Two-interval forced-choice technique; Signal-to-noise ratio (Chatterjee, M. (69) 45)

Overstimulation
Auditory evoked potentials; Chicks; Hair cell regeneration; Hearing loss; Frequency selectivity (Saunders, J.C. (69) 25)

Potassium secretion
Gerbil; 95 pS Cl^- channel; Large conductance (LC-type) Cl^- channel (Marcus, D.C. (69) 124)

Purinergic receptor
Inositol phosphates; Second messenger; Cochlea; Vestibule; Muscarinic cholinergic receptor; Rat (Ogawa, K. (69) 207)

Quantitative histochemistry
Acetylcholinesterase; Auditory; Cholinergic; Cochlear nucleus; Immunohistochemistry (Yao, W. (69) 76)

Rat
Calretinin; Cochlea; Vestibule; In situ hybridization; Oligonucleotide probe; Digoxigenin; Guinea pig (Dechesne, C.J. (69) 91)

HSP 72; Noise; Cochlea; Hair cell; Immunoblotting; Immunocytochemistry (Lim, H.H. (69) 146)

Growth factors; Cochlea; Hair cells; Spiral ganglion; Development; Fibroblast growth factor (Luo, L. (69) 182)

Inositol phosphates; Second messenger; Cochlea; Vestibule; Muscarinic cholinergic receptor; Purinergic receptor (Ogawa, K. (69) 207)

Excitatory amino acid; NMDA receptor; Cochlea; Spiral ganglion cells; In situ hybridization (Kuriyama, H. (69) 215)

Receptor
Aldosterone; Na, K-ATPase; Cochlea; Vestibule (Pitovski, D.Z. (69) 10)

Recovery
Auditory nerve; Spike discharge; Refractory; Click; Frog (Ronken, D.A. (69) 55)

Reflex modification
3,3′-Iminodipropionitrile; Ototoxicity; Cochlea; Acoustic startle response; Development (Goldey, E.S. (69) 221)

Refractory
Auditory nerve; Spike discharge; Recovery; Click; Frog (Ronken, D.A. (69) 55)

Refractory period
Regularity; Hazard function; Auditory nerve; Model; Cat (Li, J. (69) 151)

Regularity
Refractory period; Hazard function; Auditory nerve; Model; Cat (Li, J. (69) 151)

95 pS Cl^- channel
Gerbil; Large conductance (LC-type) Cl^- channel; Potassium secretion (Marcus, D.C. (69) 124)

Second messenger
Inositol phosphates; Cochlea; Vestibule; Muscarinic cholinergic receptor; Purinergic receptor; Rat (Ogawa, K. (69) 207)

Sensori-neural
Development; Maturation; Conductive; Bone conduction; ABR; Fetus; Neonate (Geal-Dor, M. (69) 236)

Signal-to-noise ratio
CAP; Adaptation; Two-interval forced-choice technique; Overshoot (Chatterjee, M. (69) 45)

Sodium salicylate
Laser doppler flowmetry; Cochlea; Guinea pig; Hydralazine; Topical drug application (Didier, A. (69) 199)

Spike discharge
Auditory nerve; Recovery; Refractory; Click; Frog (Ronken, D.A. (69) 55)

Spiral ganglion
Growth factors; Cochlea; Hair cells; Development; Fibroblast growth factor; Rat (Luo, L. (69) 182)

Spiral ganglion cells
Excitatory amino acid; NMDA receptor; Cochlea; In situ hybridization; Rat (Kuriyama, H. (69) 215)

Spontaneous otoacoustic emissions
Click-evoked otoacoustic emissions; Newborn (Kok, M.R. (69) 115)

Otoacoustic emission; Transiently evoked otoacoustic emission; Synchronised spontaneous otoacoustic emission; Interrelation of otoacoustic emission (Gobsch, H. (69) 176)

Stereocilia
Auditory; Cochlea; Hair cells; Turtle (Hackney, C.M. (69) 163)

Superior olive
Olivocochlear; Auditory efferent; Trapezoid body (Hoffman, D.W. (69) 1)

Synchronised spontaneous otoacoustic emission
Otoacoustic emission; Transiently evoked otoacoustic emission; Spontaneous otoacoustic emission; Interrelation of otoacoustic emission (Gobsch, H. (69) 176)

Thyroid hormones
ABR; Development; Neonate; Fetus; Bone conduction (Freeman, S. (69) 229)

Tonic inhibition
Dorsal nucleus of the lateral lemniscus; Inferior colliculus; GABA; Binaural inhibition; Electrical stimulation (Faingold, C.L. (69) 98)

Topical drug application
Sodium salicylate; Laser doppler flowmetry; Cochlea; Guinea pig; Hydralazine (Didier, A. (69) 199)

Transiently evoked otoacoustic emission
Otoacoustic emission; Spontaneous otoacoustic emission; Synchronised spontaneous otoacoustic emission; Interrelation of otoacoustic emission (Gobsch, H. (69) 176)

Trapezoid body
Olivocochlear; Auditory efferent; Superior olive (Hoffman, D.W. (69) 1)

Turtle
Auditory; Cochlea; Hair cells; Stereocilia (Hackney, C.M. (69) 163)

Two-interval forced-choice technique
CAP; Adaptation; Signal-to-noise ratio; Overshoot (Chatterjee, M. (69) 45)

Vestibular labyrinth
NHE-1; Ethylisopropylamiloride; BCECF; Gerbil (Wangemann, P. (69) 107)

Vestibule
Aldosterone; Receptor; Na, K-ATPase; Cochlea (Pitovski, D.Z. (69) 10)

Calretinin; Cochlea; In situ hybridization; Oligonucleotide probe; Digoxigenin; Rat; Guinea pig (Dechesne, C.J. (69) 91)

Inositol phosphates; Second messenger; Cochlea; Muscarinic cholinergic receptor; Purinergic receptor; Rat (Ogawa, K. (69) 207)

Volume regulation
Hair cells, outer; Osmolarity (Crist, J.R. (69) 194)